

#### **Neurotransmitter Strengthening Protocols**

Many individuals spend their lives with less than adequate neurotransmitter production, causing them to settle for mediocrity in their lives. They may have mood swings, feel overly emotional, deal with brain fog and poor memory or lack motivation to do the things they need to do.

These problems can be corrected and improved with natural health strategies and specific supplementation. This document will help you with that.

If you haven't taken the full neurotransmitter quiz than that would be best to do before you begin in order to discover which neurotransmitter deficiencies, you may be dealing with.

In some cases, you will notice you are scoring out high in multiple areas. If this is the case, focus on the areas where you are weakest first and see how you respond. Often times you will notice that all the major symptoms will begin to improve as you focus on one major area.

#### Give Yourself a Score:

Before starting, it would be a good idea to rate your symptoms on a scale of 1-10 with one being minor and 10 being the worst possible so you can gouge how you are responding over time.

If you have trouble with anxiety, it may be a 6/10 in the beginning and after 30 days, you notice a 20% improvement so you rank it at a 4/10. This sort of assessment will help you understand and appreciate your improvement.

#### **Table of Contents:**

Section	Page Number:
Introduction	2
Neurotransmitter Questionnaire	3
Serotonin Strengthening Program	9
<b>Acetylcholine Strengthening Program</b>	17
<b>Dopamine Strengthening Program</b>	25
GABA Strengthening	31
Program Endorphin Strengthening Progr	<b>am</b> 39

<sup>\*\*\*</sup>You can find all supplement recommendations at our Store Page here

<sup>\*</sup>These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure or prevent any disease. If you are pregnant, nursing, taking medication, or have a medical condition, consult your physician before doing any of these health strategies.

<sup>\*</sup>This information is based on Peer Reviewed published studies and all references can be found on Dr.Jockers.com

#### **Neurotransmitter Questionnaire:**

The goal of this quiz is to see if your body is struggling produce one or more of the major neurotransmitters involved in healthy brain function.

We have broken this into 5 sections:



#### **Steps to Take with These Results:**

Fill this out as accurately as possible and add up your points to see your score



#### What To Do With Your Results:

**Step 1:** Figure out what your top 1 or 2 weak areas are and locate those on the Neurotransmitter strengthening protocols E-guide. Read through the areas where you are weakest and begin following the strategies discussed in the booklet.

**Step 2:** All of these conditions are related to adrenal fatigue, so be sure to read through the adrenal fatigue guide and begin following the helpful strategies to improve adrenal function.

**Step 3:** Retake the test every 4-6 weeks and compare to your original test to see how you are improving and any additional areas to focus on.



#### **Wired and Tired**

1.	Do you suffer with frequent worry or anxiety?			
	☐ Never	Sometimes	Often	All the Time
2.	. Do you notice an increase in depres		ssion around wi	nter time?

3.	Do you enjoy staying up late at night on a regular basis?				
	☐ Never	Sometimes	Often	All the Time	
4.	Do you have lig	ght sleep or wake up	often at night?		
	Never	Sometimes	Often	All the Time	
5.	-	(S or deal with menop course). For men, do		ess (anger, sadness, depression, tears)? (If you e moodiness?	
	Never	Sometimes	Often	All the Time	
6.	Do you have lo	w self-esteem or lack	confidence oft	en?	
	Never	Sometimes	Often	All the Time	
7.	Do you easily g	get self-critical or feel	guilty about tl	nings in your life?	
	Never	Sometimes	Often	All the Time	
8.	Do you crave s	weet or starchy snacl	ks or wine in th	e afternoons, evenings or late at night?	
	Never	Sometimes	Often	All the Time	
9.	•	diagnosed with fibronsion and pain associa	• 0	fer with unexplained muscle pain g the jaw)?	
	Never	Sometimes	Often	All the Time	
10.	10. Does your behavior ever get obsessive? Hard to be flexible with your plans, you are a perfectionist in your work or a neatfreak, or a control freak?				
	Never	Sometimes	Often	All the Time	
11.	11. Do you find yourself easily addicted to work, a TV show or a video game, a food, sugar, alcohol, smoking, sex or anything else?				
	☐ Never	Sometimes	Often	All the Time	
12. Do you find yourself being irritable, impatient, edgy or angry more than you should?					
	☐ Never	Sometimes	Often	All the Time	



If you score a 20 or above, you are probably experiencing symptoms of low serotonin. Serotonin is an inhibitory neurotransmitter and depletion of such can cause poor sleep, depression and anxiety.



## **Memory Problems**

Never   Sometimes   Often   All the Time    2. Do you struggle with constipation?   Never   Sometimes   Often   All the Time    3. Do you feel like your brain is running slower than it used too?   Never   Sometimes   Often   All the Time    4. Do you struggle with brain fog?   Never   Sometimes   Often   All the Time    5. Do you regularly forget where you have placed things (like your keys)?   Never   Sometimes   Often   All the Time    6. Do you find yourself making a lot of simple mistakes in your daily tasks?   Never   Sometimes   Often   All the Time    7. Do you have difficulty remembering lists, directions or instructions?   Never   Sometimes   Often   All the Time    8. Do you feel like you lack creativity or imagination?   Never   Sometimes   Often   All the Time    9. Do you have difficulty finding the right words before you speak?   Never   Sometimes   Often   All the Time    10. Do you feel disoriented at all throughout the day?	1.	. Do you have trouble remembering words, phrases or names?				
Never   Sometimes   Often   All the Time    3. Do you feel like your brain is running slower than it used too?     Never   Sometimes   Often   All the Time    4. Do you struggle with brain fog?     Never   Sometimes   Often   All the Time    5. Do you regularly forget where you have placed things (like your keys)?     Never   Sometimes   Often   All the Time    6. Do you find yourself making a lot of simple mistakes in your daily tasks?     Never   Sometimes   Often   All the Time    7. Do you have difficulty remembering lists, directions or instructions?     Never   Sometimes   Often   All the Time    8. Do you feel like you lack creativity or imagination?     Never   Sometimes   Often   All the Time    9. Do you have difficulty finding the right words before you speak?     Never   Sometimes   Often   All the Time    10. Do you feel disoriented at all throughout the day?		☐ Never	Sometimes	Often	All the Time	
3. Do you feel like your brain is running slower than it used too?    Never	2.	Do you strugg	gle with constipation	1?		
Never Sometimes Often All the Time  4. Do you struggle with brain fog?  Never Sometimes Often All the Time  5. Do you regularly forget where you have placed things (like your keys)?  Never Sometimes Often All the Time  6. Do you find yourself making a lot of simple mistakes in your daily tasks?  Never Sometimes Often All the Time  7. Do you have difficulty remembering lists, directions or instructions?  Never Sometimes Often All the Time  8. Do you feel like you lack creativity or imagination?  Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time		☐ Never	Sometimes	Often	All the Time	
4. Do you struggle with brain fog?  Never Sometimes Often All the Time  5. Do you regularly forget where you have placed things (like your keys)?  Never Sometimes Often All the Time  6. Do you find yourself making a lot of simple mistakes in your daily tasks?  Never Sometimes Often All the Time  7. Do you have difficulty remembering lists, directions or instructions?  Never Sometimes Often All the Time  8. Do you feel like you lack creativity or imagination?  Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time	3.	Do you feel lil	ke your brain is run	ning slower tl	han it used too?	
Never   Sometimes   Often   All the Time  5. Do you regularly forget where you have placed things (like your keys)?    Never   Sometimes   Often   All the Time  6. Do you find yourself making a lot of simple mistakes in your daily tasks?    Never   Sometimes   Often   All the Time  7. Do you have difficulty remembering lists, directions or instructions?    Never   Sometimes   Often   All the Time  8. Do you feel like you lack creativity or imagination?    Never   Sometimes   Often   All the Time  9. Do you have difficulty finding the right words before you speak?    Never   Sometimes   Often   All the Time  10. Do you feel disoriented at all throughout the day?		Never	Sometimes	Often	All the Time	
5. Do you regularly forget where you have placed things (like your keys)?    Never	4.	Do you strugg	gle with brain fog?			
Never Sometimes Often All the Time  6. Do you find yourself making a lot of simple mistakes in your daily tasks?  Never Sometimes Often All the Time  7. Do you have difficulty remembering lists, directions or instructions?  Never Sometimes Often All the Time  8. Do you feel like you lack creativity or imagination?  Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time		☐ Never	Sometimes	Often	All the Time	
6. Do you find yourself making a lot of simple mistakes in your daily tasks?  Never Sometimes Often All the Time  7. Do you have difficulty remembering lists, directions or instructions?  Never Sometimes Often All the Time  8. Do you feel like you lack creativity or imagination?  Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time  10. Do you feel disoriented at all throughout the day?	5.	Do you regula	arly forget where yo	u have placed	things (like your keys)?	
Never Sometimes Often All the Time  7. Do you have difficulty remembering lists, directions or instructions?  Never Sometimes Often All the Time  8. Do you feel like you lack creativity or imagination?  Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time  10. Do you feel disoriented at all throughout the day?		☐ Never	Sometimes	Often	All the Time	
7. Do you have difficulty remembering lists, directions or instructions?  Never Sometimes Often All the Time  8. Do you feel like you lack creativity or imagination?  Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time  10. Do you feel disoriented at all throughout the day?	6.	Do you find y	ourself making a lot	of simple mi	stakes in your daily tasks?	
Never Sometimes Often All the Time  8. Do you feel like you lack creativity or imagination?  Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time  10. Do you feel disoriented at all throughout the day?		☐ Never	Sometimes	Often	All the Time	
8. Do you feel like you lack creativity or imagination?  Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time  10. Do you feel disoriented at all throughout the day?	7.	Do you have o	difficulty remember	ing lists, direc	etions or instructions?	
Never Sometimes Often All the Time  9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time  10. Do you feel disoriented at all throughout the day?		Never	Sometimes	Often	All the Time	
9. Do you have difficulty finding the right words before you speak?  Never Sometimes Often All the Time  10. Do you feel disoriented at all throughout the day?	8.	Do you feel li	ke you lack creativi	ty or imagina	tion?	
Never Sometimes Often All the Time  10. Do you feel disoriented at all throughout the day?		Never	Sometimes	Often	All the Time	
10. Do you feel disoriented at all throughout the day?	9.	9. Do you have difficulty finding the right words before you speak?				
		Never	Sometimes	Often	All the Time	
	10	10. Do you feel disoriented at all throughout the day?				
Never Sometimes Often All the Time		Never	Sometimes	Often	All the Time	



If your score is 18 or above you may have problems with acetylcholine deficiency. Acetylcholine is an excitatory neurotransmitter that is involved with learning, memory, imagination, creativity and cognitive acceleration.

1.	. Is your drive, enthusiasm and motivation in life lacking?				
	☐ Never	Sometimes	Often	All the Time	
2.	Do you often f	feel depressed, flat,	bored or apat	hetic?	
	☐ Never	Sometimes	Often	All the Time	
3.	Do you feel li	ke you lack physica	al or mental en	nergy on a regular basis?	
	Never	Sometimes	Often	All the Time	
4.	Do you feel cl	hronically tired, no	matter how w	vell you slept the night before?	
	☐ Never	Sometimes	Often	All the Time	
5.	Is it challenging	ng to focus or conc	entrate on thin	ngs?	
	☐ Never	Sometimes	Often	All the Time	
6.	Are you easily	cold or do you not	tice you have c	cold hands or feet?	
	☐ Never	Sometimes	Often	All the Time	
7.	Do you feel lik	ke you need stimula	ants like coffee	and caffeine on a regular basis?	
	☐ Never	Sometimes	Often	All the Time	
8.	Do you feel lik	ke you are strugglin	ng to perform	at your best in your career or daily tasks?	
	☐ Never	Sometimes	Often	All the Time	
9.	9. Are you lacking interest in sex?				
	☐ Never	Sometimes	Often	All the Time	
10. Are you struggling to finish projects or tasks you have started?					
	☐ Never	Sometimes	Often	All the Time	
	If your score is 18 or above than you are probably experiencing symptoms				

Total Score:

If your score is 18 or above than you are probably experiencing symptoms of low dopamine, epinephrine and norepinephrine. These are excitatory neurotransmitters that give us drive, ambition and passion when they are in balance.



## Stressed Out Mind

1.	Do you regula	arly feel overworked	d or like you a	are falling behind with your daily tasks?
	Never	Sometimes	Often	All the Time
2.	Do you have t	rouble relaxing or l	oosening up?	
	☐ Never	Sometimes	Often	All the Time
3.	Is your body s	stiff and tight and ta	ake time to lo	osen up?
	☐ Never	Sometimes	Often	All the Time
4.	Are you easil	y upset and frustra	ted when und	er stress?
	Never	Sometimes	Often	All the Time
5.	Are you sensi	tive to bright light,	chemical fum	es or loud noises?
	☐ Never	Sometimes	Often	All the Time
6.	Do you feel si	gnificantly worse if	you skip mea	ls or go a long time without eating?
	Never	Sometimes	Often	All the Time
7.	Do you feel o	verwhelmed or as t	hough you jus	st can't get it all done?
	Never	Sometimes	Often	All the Time
8.	Do you have t	rouble shutting off	your mind, es	specially at night when trying to sleep?
	Never	Sometimes	Often	All the Time
9.	Do you strug	gle with anxiety?		
	☐ Never	Sometimes	Often	All the Time
10. Do you have a tendency to say things you wish you had not?				
	Never	Sometimes	Often	All the Time
		If your score is 15 of	or more than y	ou are probably experiencing symptoms

Total Score:

If your score is 15 or more than you are probably experiencing symptoms associated with GABA deficiency and adrenal fatigue. GABA is an inhibitory neurotransmitter that calms the mind and helps to bring peace and relaxation to both the mind and body.



## Sensitive and Hurting

1.	. Do you people tell you that you are too sensitive?				
	☐ Never	Sometimes	Often	All the Time	
2.	Do you tend	to avoid dealing wit	h painful issu	es?	
	☐ Never	Sometimes	Often	All the Time	
3.	Do you strugg	gle to get losses, or g	rieving over o	deaths of friends or family?	
	Never	Sometimes	Often	All the Time	
4.	Do you suffer	from chronic back	pain or heada	aches?	
	☐ Never	Sometimes	Often	All the Time	
5.	Taking pain l	killing medications	doesn't seem	to offer any relief?	
	☐ Never	Sometimes	Often	All the Time	
6.	Do you have a	a tendency to tear u	p easily?		
	☐ Never	Sometimes	Often	All the Time	
7.	Do you crave	pleasure and comfo	ort foods like	chocolate, bread, wine, etc?	
	☐ Never	Sometimes	Often	All the Time	
8.	Do you feel li	ke you don't have a	ny fun in you	r life?	
	☐ Never	Sometimes	Often	All the Time	
9.	9. Do you feel super sensitive to pain? Light touch, light, sounds, etc. cause an aggravation of symptoms?				
	☐ Never	Sometimes	Often	All the Time	
10	10. Nobody seems to understand the amount of emotional pain you are carrying around?				
	☐ Never	Sometimes	Often	All the Time	
Sco	If your score is 15 or more you are probably experiencing symptoms associated with a loss of endorphins. Endorphins are feel good molecules				

Total

your body produces that block pain receptors and give a sense of joy and euphoria.

#### **Serotonin Strengthening Program**

It is all too common in our society to deal with a serotonin deficiency. Serotonin helps us to feel good. It has been called by many the "happy molecule" for its role in helping to create a positive mood

Serotonin is also an inhibitory neurotransmitter that helps us with impulse control and pain relief. It also is a precursor to the sleep hormone melatonin and plays a very important role in good sleep. Although serotonin plays a very important role in the brain, 95% of the serotonin in the body is produced in the intestines, which are called the second brain.

Many experts consider serotonin more of a hormone than a neurotransmitter because its effects impact the entire body.

## Major Symptoms of Low Serotonin Frequent worry or anxiety Seasonal Affective Disorder (SAD) Trouble falling asleep Light Sleeper that is frequently and easily awoken Frequent moodiness Strongly self-critical or frequent feelings of guilt Craving sweet or salty foods (especially later in the day) Lacking confidence more than you should Craving wine or alcohol later in the day Obsessive behavior – perfectionist, neat freak or controlling Easily addicted to sugar, alcohol, TV, games, sex or anything else you enjoy Fibromyalgia or unexplined muscle pains Irritable bowel type of symptoms Dr Ockers.com

**Women:** More twice as likely to experience anxiety, depression or other mood disorders than men. Women may also experience more carb cravings, binge eating and weight gain.

**Men:** More likely to experience problems with ADHD, addictions (such as alcoholism, sex and pornography, smoking, or food addictions) and trouble with impulse control that can express itself with uncontrollable anger, rudeness or other socially unacceptable behaviors.

**Response to Anti-Depressants:** The response to anti-depressants is often good as most of these are SSRI's which act to increase serotonin activity in the brain. This NEVER gets to the cause of the low serotonin, but can improve symptoms for a period of time.





What Reduces Serotonin Levels?

**Chronic Mental/Emotional Stress** 

Inadequate or Ineffective Sleep

**Poor Blood Sugar Stability** 

Vitamin B1, B2, B6, and/or folate deficiency

Magnesium deficiency

Vitamin D deficiency

Spinal Subluxation

Sedentary Lifestyle

Omega 3 Fatty Acid Deficiency

**Chronic Brain Inflammation** 

**Leaky Gut Syndrome** 

Genetic single nucleotide polymorphisms (SNP's of MAO and 5HTT).

DRJOCKERS.COM

#### **Natural Strategies to Boost Serotonin Levels:**

- **1. Healthy Sun Exposure:** The sunlight stimulates serotonin production. The best time for this is in the morning and around the middle of the day.
- **2. Get in the Dirt:** Microbes in the soil have been shown to increase serotonin levels. This is why gardening is one of the best hobbies for your mood. Going to the beach and getting in the sand works great too!
- **3.** Regular Exercise: Get moving! Walking, running and resistance training all help to boost up serotonin levels. Exercise beats anti-depressant meds in every clinical trial.
- **4. Cultivate Gratitude:** Focusing on positive thoughts has been shown to increase the brain's serotonin levels. Decide to stay upbeat in spite of your circumstances.
- **5. Prayer and Meditation:** Focused breathing, empathy and the ability to control your thoughts through meditation and prayer will help you make life so much more enjoyable.

#### **Best Serotonin Boosting Foods:**

There is a lot of information on the web about foods that boost serotonin, however, we want to avoid foods that are high in carbohydates that throw off our blood sugar. The best foods for optimizing serotonin levels include:

- 1. Wild caught, cold-water, fatty fish like salmon
- 2. Organic green tea
- 3. Turmeric
- 4. Fermented foods like sauerkraut, pickles and kimchi
- 5. Dark chocolate





### **Best Supplements For Boosting Serotonin Levels:**

There are many herbs that naturally boost serotonin, but these compounds are the some of the most effective and well-researched" as written in this article.

- 1. **5-HTP:** This is the best molecule for boosting serotonin levels naturally. It is easy for the body to convert 5-HTP into serotonin.
- **2. Omega 3 Fatty Acids:** These are anti-inflammatory and have a positive effect on boosting serotonin levels. The best choice is a purified fish oil that is high in the fatty acids EPA and DHA.
- **3. Magnesium:** This helps to modulate stress hormone levels in the brain, which can have a direct impact on serotonin levels. The best choice is a magnesium that crosses the blood barrier. The best is magnesium malate, glycinate and threonate. We recommend <u>brain calm magnesium.</u>
- **4. B** Complex: Getting a pre-activated form of B vitamins can be extremely effective. We recommend B Strong.
- **5. L-Theanine**: L-Theanine is a naturally occurring, biologically active, free-form amino acid that provides relaxation support by supporting serotonin levels.
- **6. Rhodiola:** This adaptogenic herb acts as a monoamine oxidase inhibitor in that it blocks the enzymes in the body that break down serotonin. This keeps more serotonin acting in the brain and body. Begin with 100 mg 1x per day and if you feel good than go up to 100-200 mg 2x per day.

13

- 7. SAM-e: The supplement (S-adenosyl methionine) is commonly purchased at health food stores as a means to treat depression. This can be dangerous! Before taking SAM-e, you should know whether you have unique single nucleotide polymorphisms leading to under or overmethylation. Undermethylators will have lower SAM-e levels and will benefit from supplementing while overmethylators can cause more harm. Be sure you are working with a physician trained in proper SAM-e supplementation if you plan on using.
- **8. St Johns Wort:** St John's wort acts to block the reuptake of serotonin and increases the amount of serotonin receptors. Proper dosage: 300 mg 3x daily



#### **Dr Jockers Recommendations For Serotonin Production:**

The most common neurotransmitter deficiency I find is a lack of serotonin production. I think this has to do with the level of stress we are under and the epidemic of leaky gut syndrome.

I follow a number of the strategies, including healing the gut, balancing blood sugar and reducing stress. My main supplement I use to improve Serotonin levels is

## **Brain Calm Magnesium:**

This is a specific form of magnesium is the only form of magnesium proven in animal studies to cross the blood-brain barrier. Boosting the brain's magnesium level is vital to healthy cognition, which includes long- and short-term memory, learning, stress management and sleep.


**Normal Dosage:** 1 scoop - 1x daily **Advanced Dosage:** 2 scoop - 2-3x daily



## **Adapt-Strong:**

This formula provides clinical dosages of vitamin B6, rhodiola and cordyceps. This formula provides useful support for both hyper and hypofunction of the adrenals. Hyperfunction is when the adrenals are overproducing hormones, such as cortisol, and hypofunction is the opposite, when the adrenals are under producing.

**Normal Dosage:** Take 1 cap -2x daily **Advanced Dosage:** Take 2 caps -2x daily



## **B** Strong:

A combination blend of methylated B vitamins to help support energy production and blood sugar regulation within the body.

**Normal Dosage:** Take 1 cap -2x daily **Advanced Dosage:** Take 2 caps -2x daily




#### **Mood Protect:**

Combination of herbs, nutrients and compounds that promote serotonin and GABA production to ease anxiety and improve overall mood and sleep. This product has clinical dosages of GABA, taurine, L-theanine and 5-HTP. This also contains small amounts of zinc, B6 and magnesium to improve natural serotonin production.

**Normal Dosage:** Take 1 cap - 2 times daily (away from meals)


**Advanced Dosage:** Take 2 caps – 2 times daily (away from meals)




#### **Acetylcholine Strengthening Program:**

If you are having trouble with your memory, you may very well have weak acetylcholine production. This neurotransmitter is found throughout the brain, but in particular, it is in the hippocampus and temporal lobes of the brain where memories are stored. Additionally, it is an important activator of gut motility.

Often times, low acetylcholine levels will manifest in both memory issues and sluggish digestive function. Here are the major symptoms and helpful strategies to naturally boost up your acetylcholine levels.






## Major Symptoms of Acetylcholine Deficiency



- Forgetting common facts
- Trouble understanding written or spoken language
- Forgetting where you put things (like your car keys)
- Difficulty remembering lists, instructions or directions
- Forgetting people's names and faces after meeting them
- Disorientation
- Lack of Passion, creativity and imagination
- Difficulty finding the right words before you speak
- Slowed or confused thinking process
- Making simple mistakes at work
- Dry mouth
- Constipation

## Biggest Factors In Reducing ACETYLCHOLINE





**CHRONIC STRESS** 



**INADEQUATE OR INEFFECTIVE SLEEP** 



**POOR BLOOD SUGAR STABILITY** 



**ENVIRONMENTAL TOXINS** 



VITAMIN B1, B5 AND CHOLINE DEFICIENCIES



**MEDICATION USAGE** 

DRJOCKERS.com

#### Lifestyle Strategies to Improve Acetylcholine:

- **1. Adapt to Stress Better:** Follow the 25 lifestyle strategies in the Adrenal Health guide to heal adrenal fatigue.
- **2. Sleep Better:** It is key for you to prioritize sleep if you are going to improve your acetylcholine levels. Follow the advanced strategies in the sleep hack PDF for more effective sleep.
- **3. Balance Your Blood Sugar Levels:** Follow the Super Brain diet and take blood sugar regulating supplements such as High Energy Support and Brain Supercharge and overtime you will maintain healthy blood sugar levels that will improve overall neurotransmitter production and utilization.
- **4. Cleanse Your Body:** Drink clean, filtered water and follow our super hydrating principles to flush your body of toxic debris. Practice intermittent fasting and liquid nutrition throughout the day for more effective cleansing.


Consider using as many of the 20 Advanced Healing and Cleansing Strategies E-booklet.

- **5. Avoid Anticholinergic Drugs:** These drugs destroy acetylcholine levels. This includes the majority of the medications that begin with "anti" such as antibiotics, antihistamines and anti-depressants. In addition, NSAID's like Tylenol and acid reflux medications deplete acetylcholine levels as well.
- **6. Reduce Caffeine Intake:** Caffeine increases the amount of acetylcholine usage. Best to use caffeine strategically for high performance, but not as an everyday tool.
- **7. Best Foods to Eat For Choline:** These foods are rich in choline, which is the major precursor to acetylcholine. Additionally, they contain omega 3 fatty acids, saturated fats, zinc and B12, which are all essential nutrients for healthy acetylcholine levels.
  - 1. Pasture-Raised Eggs
  - 2. Wild-Caught Salmon
  - 3. Grass-fed Meats
  - 4. Liver from grass-fed animals
  - 5. Bone Broth Protein

H<sub>3</sub>C CH<sub>3</sub>

# THOLINE RICH FOODS

ОH





**GRASS-FED MEATS** 



**GRASS-FED BEEF LIVER** 



BROCCOLI/CAULIFLOWER



**WILD-CAUGHT SALMON** 



**ROSEMARY** 



## ACETYLCHOLINE

**Sleep Better** 



**Adapt to Stress Better** 



**Cleanse Your Body** 



Balance Your Blood Sugar Levels



Practice
Neurobic Exercises



Use Caffeine Strategically



Eat Nutrient Dense, Choline Rich Foods

DrJockers.com

#### **Best Supplements For Acetylcholine:**

- **1. Choline Bitartrate:** This is the most basic form of choline and it will boost up acetylcholine levels. Recommended dosage is 50-100 mg, 1-2x daily
- **2. Huperzine A:** This molecule is made from the firmoss plant and quickly penetrates the blood barrier. It is most known for its inhibition of acetylcholinesterases, which increases acetylcholine at the synapse.

#### **Dr Jockers Tips:**

I begin with all the basics and in particular, will focus on balancing blood sugar levels, improving stress adaptation and sleep patterns.

We will also focus on getting high quality nutrients from pasture-raised eggs, wild caught salmon and grass-fed meats. We will also use high quality fish oil supplements, which improve all around neurotransmitter production.

Pasture-raised eggs are by far the best source with over 500 mg per serving.

Here are the supplements I use:



## **Gut Healing Protein:**

Take 1-2 scoops of this daily for the 50-100 mg of choline bitartrate and it comes packed full of brain protecting anti-oxidants and gut healing nutrients.

**Normal Protocol:** Take 1-2 scoops in 1 shake daily

Advanced Protocol: Take 2 scoops in 2 shakes daily



## **Memory Charge:**

This is a supplement full of herbs and nutrients that enhance blood flow to the brain. It also contains 100 mg of high potency huperzine A to boost acetylcholine levels in the synapse and enhance memory and cognitive acceleration.

**Normal Protocol:** Take 1 cap - 2x daily with or without food

**Advanced Protocol:** Take 2 caps – 2x daily with or without food



#### **Common Question:**

Q: Can I take the Gut Healing Protein and the Memory Charge together?

A: Yes, these can be taken together without any issues.



#### **Dopamine Strengthening Program:**

Dopamine has been called the "motivation molecule," as it helps provide the drive and focus needed to get stuff done. Dopamine is also involved with the "pleasure system" of the brain and functions to create a feeling of enjoyment and a sense of reward in order to motivate performance.

People that suffer with low dopamine often experience hopelessness, worthlessness and struggle to handle stress. These individuals will often isolate themselves from others and have self-destructive thoughts and behaviors (1).

Being easily distracted and having trouble focusing and finishing tasks can be signs of early dopamine deficiencies (2). Long-term, poor dopamine signaling can result in hand tremors, slowness of movement and pre-Parkinson's symptoms.



## Major Symptoms of Dopamine Deficiency



Lack of drive, motivation and enthusiasm



Trouble waking up in the morning



Depressed, bored or apathetic



Cold hands or feet



**Impulsiveness** 



Low sex drive



Mental and physical fatigue regardless of how well you slept



Struggling to finish projects or tasks



Lack of focus and concentration(ADHD)



Restless Leg Syndrome



Sugar and Carbohydrate Cravings



Parkinsonian tremor





Adrenal Fatigue



**B6 Deficiency** 



L-tyrosine and/or L-phenylalanine deficiencies



Low Stomach acid



**Leaky Gut** 



Hypoglycemia



Exposure to lead, arsenic and cadmium



Low magnesium, zinc, iron, vitamin C and D, and vitamin B3 (niacin)



#### **Best Foods For Boosting Dopamine Levels:**

- 1. Organic coffee
- 2. Raw cacao or minimally processed dark chocolate
- 3. Organic green tea
- 4. Avocado
- 5. Green Leafy Vegetables
- 6. Beets
- 7. Nuts & Seeds

7 Strategies to Raise of

Dopamine

- **Adapt to Stress Better**
- **Anti-Inflammatory Diet**
- **Sleep Better**
- 4 Improve the Microbiome
- 5 **Set Goals**
- 6 **Small Tasks**
- **Regular Exercise**



#### **Best Dopamine Boosting Supplements:**

**L-Tyrosine:** This amino acid is a precursor to dopamine. For boosting tyrosine, take dosages between 500-2500 mg on an empty stomach.

**DL-Phenylalanine:** This dosage can be between 1-2 grams on an empty stomach.

**Vitamin B6:** Best dosage is between 50-100 mg taken with or without meals.

**Rhodiola:** Best to be taken 1-2 times in a dosage of 100-200 mg each time.

**Cordyceps:** Best to be taken 1-2 times in a dosage of 400-800 mg each time.

#### **Dr Jockers Strategy:**

For individuals with low dopamine, I focus on blood sugar stability, stress reduction and adaption strategies and look to improve thyroid if it is a problem.

We do a low-carb diet but will use a lot of dark chocolate, organic coffee, nuts and seeds so long as they aren't dealing with an autoimmune disease. I use one of both of the following supplements to help individuals with low dopamine.



## **Adapt-Strong:**

This formula provides clinical dosages of vitamin B6, rhodiola and cordyceps. This formula provides useful support for both hyper and hypofunction of the adrenals. Hyperfunction is when the adrenals are overproducing hormones, such as cortisol, and hypofunction is the opposite, when the adrenals are under producing.

**Normal Dosage:** Take 1 cap - 2x daily

**Advanced Dosage:** Take 2 caps – 2x daily



## **Dopamine Plus:**

This formula contains clinical dosages of L-tyrosine, DL Phenylalanine, vitamin C and B6 and it contains 5-HTP which helps keep the dopamine:serotonin balance in order. This product helps improve focus, concentration and reduces cravings for sugar or other addictive behaviors.

**Normal Dosage:** Take 2 caps - 2x daily away from meals **Advanced Dosage:** Take 4 caps - 2x daily away from meals


#### **Common Question:**

#### Can I Take the Adapt Strong with the Dopamine Plus?

A: Yes, the only overlapping nutrient is B6 and based on my experience and research this water soluble nutrients is very low in most people with lower dopamine symptoms and if you were to get too much, your body would urinate it out.

#### What is the best dosage to begin with of these supplements?

A: Begin with the normal dosage and if you don't notice anything or begin feeling good, you can experiment and go up to the advanced dosage. If you feel poorly on the normal dosage, take 3 days off and then take ½ of the normal dosage and see how you do.



#### **GABA Strengthening Program**

GABA (Gamma-AminoButyric Acid) is an inhibitory neurotransmitter that has a calming and relaxing effect in the brain. It acts like the brakes in a car, to where it slows down and/or stops brain activity on an as-needed basis to help us function better.

When we are low in GABA, our brain continues to hit the gas, overstimulating us with activity. Our gut microbiome plays an important role with GABA production and helps to convert glutamine and glutamic acid into GABA. A disordered microbiome is a major cause of low GABA production.

$$HO$$
 $NH_2$ 



## GABA

(Gamma-AminoButyric Acid)

GABA is like the brakes in a car to slow down brain activity and help us relax and maintain a sense of


DR JOCKERS.COM




Sensitivity to bright lights, chemicals or loud noises




Anxiety and/or panic disorders


















Feeling overwhelmed

DRJOCKERS.COM

## Factors Involved In Reducing

## **GABA LEVELS**



#### **Strategies to Raise GABA:**

DRJOCKERS.COM

In order for the body to manufacture GABA, there needs to be an abundant amount of the amino acid L-glutamine present. Glutamine is then converted into another amino acid called glutamic acid and then into GABA.

This whole process depends upon the activity of zinc, magnesium, vitamin B6 and taurine. If we are deficient in these nutrients we will not be able to produce adequate amounts of GABA.

- **1. Adapt to Stress Better:** Follow the 25 lifestyle strategies in the Adrenal Health guide to heal adrenal fatigue.
- **2. Anti-Inflammatory Diet:** Be sure to follow the Super Brain nutrition plan in order to provide the right nutrients to support healthy neurotransmitter function.
- **3. Sleep Better:** It is key for you to prioritize sleep if you are going to improve your acetylcholine levels. Follow the advanced strategies in the sleep hack PDF for more effective sleep.
- **4. Improve the Microbiome:** Consume fermented foods and anti-microbial herbs such as garlic, onions, oregano, basil, thyme, peppermint, ginger, etc. to help improve the overall constitution of the gut microbes.


- **5.** Take Epsom Salt Baths with Essential Oils: Epsom salt baths can provide magnesium into the blood stream that acts to relax the body. Adding in essential oils such as valerian, kava, chamomile, lavender, lemon balm and passionflower can be extremely supportive for healthy GABA levels.
- **6. Deep Breathing:** Taking time to focus on breathing can be very supportive for GABA levels. Try taking 3 minutes every hour and focus on doing deep breathing with a 5-10 second inhalation and a 5-10 second exhalation.
- **7. Regular Exercise:** Regular movement is good for all neurotransmitters. Individuals with low GABA should be doing low-intensity movement such as walking and doing lots of deep breathing. Practicing yoga can be extremely supportive of GABA levels.



#### **Best Foods to Boost GABA Levels:**

Healthy microbes such as lactobacillus strains produce GABA naturally as a byproduct of metabolizing the amino acids L-glutamine and glutamic acid. Fermented foods that are rich in these lactobacillus microbes are rich in GABA. They are truly the only dietary source of GABA. You may see other lists online, but those are foods that are richer in

- 1. Sauerkraut
- 2. Kimchii
- 3. Grass-fed cow or goat kefir or yogurt
- 4. Coconut Water Kefir
- Beet Kvass
- 6. Coconut milk yogurt
- 7. Kombucha
- 8. Pickles
- 9. Pickled Ginger
- 10. Miso, Natto or Tempeh



#### **Supplements to Raise GABA Levels:**

**Magnesium:** Supplemental magnesium helps to raise GABA levels. By far, the most effective form for this is called Magnesium L-threonate. I recommend doing 1-2 grams -1-2 times daily.

**B** Complex: B6 deficiencies can cause low levels of GABA. I will typically recommend a full B complex supplement with activated forms of B vitamins to maintain.

**Probiotics:** In particular, supplementing with probiotics that contain a variety of lactobacillus and Bifidobacterium strains help to raise up GABA levels. I recommend taking 30-100 billion CFU's daily.

**GABA:** Taking supplemental GABA can be very effective. It is thought to be too large to cross the blood brain barrier, however, most people with low GABA have a disrupted BBB and respond very well to supplemental GABA. I recommend doing 100-200 mg 1-2x daily.

**L-Glutamine:** Supplementing with L-glutamine can be very effective for supporting GABA levels. I recommend starting with 4-5 grams to see how your body is tolerating it and gradually going up to 10-12 grams for boosting GABA levels.

If you notice an increase in irritability, headaches or anxiety, you may be deficient in B6 and/or zinc. Try adding those in while reducing L-glutamine levels for a while and then try L-glutamine again.

**Taurine:** This is an amino acid precursor to GABA and has a similar structure but is smaller. In the brain, it helps to activate GABA receptors. I use 300-600mg, 1-2 times daily.

**L-Theanine:** is a naturally occurring, biologically active, free-form amino acid that provides relaxation support. L-theanine improves GABA production and induces a state of relaxation of the mind without inducing drowsiness. I recommend 50-100 mg, 1-2 times daily.

**Valerian, Kava, Chamomile, Lavender, Lemon Balm & PassionFlower:** These herbs help to improve GABA production and utilization in the brain. You can drink herbal teas with these or use the essential oils on your body, in an Epsom Salt bath and in a diffuser so you can breathe in these supportive compounds.





VALERIAN



PASSION FLOWER



**LEMON BALM** 



LAVENDER

## 8 HERBS THAT IMPROVE SLEEP QUALITY



**LINDEN FLOWER** 



**PEPPERMINT** 



CHAMOMILE



CATNIP

DRJOCKERS.COM SUPERCHARGE YOUR HEALTH

#### **Dr Jockers Strategy:**

I follow a number of the strategies, including healing the gut, balancing blood sugar and reducing stress. My main supplements I use to improve GABA levels are Brain Calm magnesium and Mood protect. Yes, you can take these both together without any problems.




## **Brain Calm Magnesium:**

This is a specific form of magnesium is the only form of magnesium proven in animal studies to cross the blood-brain barrier. Boosting the brain's magnesium level is vital to healthy cognition, which includes long- and short-term memory, learning, stress management and sleep.

**Normal Dosage:** 1 scoop - 1x daily **Advanced Dosage:** 2 scoop - 2-3x daily






#### **Endorphin Strengthening Program**

Endorphins are feel good neurochemicals that give us a state of euphoria and provide a mechanism of pain relief. These molecules interact with the opioid receptors where they block pain receptors.

Endorphins are an amazing part of our bodies survival mechanisms. They are what allows human beings to perform at very high levels when they are in extreme situations. They allowed our ancestors to survive very hostile circumstances by blocking pain long-enough for them to escape whatever threat they were under.

In today's world, we think about how an athlete is able to play with a serious injury and not feel the effects until long after the game has finished. We also think about the classical runner's high or feeling of euphoria while running long distances. This is endorphins at work.



## Symptoms of Endorphin Deficiency



Chronic pain, especially in the back or neck



Chronic headaches and migraines



Pain killing medications don't seem to help



Very emotionally sensitive



Very low pain threshold, light touch, loud sounds and bright lights can trigger it



Tendency to tear up very easily



Not having fun in life, depressed



Craving pleasure foods like chocolate, sugar and wine



Diagnosed with Fibromyalgia



#### **Did You Know?**

People with an endorphin deficiency will often also have GABA and serotonin deficiencies but will often not respond well to typical anti-depressant medications.

## Biggest Factors Reducing Endorphin Levels



Chronic Stress and Adrenal Fatigue



Inadequate or Ineffective Sleep



Poor Blood Sugar Stability



Gut Microbiome Dysbiosis



Caffeine and Alcohol consumption



**GABA** deficiency



Spinal Subluxation



Physical or Emotional Trauma

#### **Strategies to Improve Endorphin Levels:**

- **1. Anti-Inflammatory Diet:** Be sure to follow the Super Brain nutrition plan in order to provide the right nutrients to support healthy neurotransmitter function.
- **2. Regular Sun Exposure:** The sun's rays not only help to boost vitamin D levels, but also stimulates the production of these feel good endorphins. Look for opportunities to get in the sun more regularly. Additionally, going barefoot on grass, dirt, or sand will ground your body and stimulate a larger endorphin release!
- **3. See Your Chiropractor:** The upper cervical spine is very important for endorphin production. If you have a subluxation, where spinal misalignment is interfering with the nerve impulses in this region than it can lower your endorphins. A trained chiropractor can help reduce subluxation and improve endorphin production.
- **4. Listen to Your Favorite Music:** Listening to music can boost endorphins, which is why we often feel so good when we listen to music we enjoy. If you do have endorphin deficiency, I would caution against loud, aggressive or highly stimulating music until you are healthier, as it could cause your adrenals to crash.
- **5. Eat Some Dark Chocolate:** Chocolate has a chemical called l-phenylalanine which prevents the breakdown of endorphins, so it's a bit like sustained release endorphins, except it doesn't last forever. Be sure to get organic and sugar and artificial sweetener free.
- **6. Consider Acupuncture:** Acupuncture has been shown to stimulate bursts of endorphins which is why the needles don't cause pain to the individual. The endorphin release from acupuncture is so good when done correctly that many people opt to use this instead of other anesthetics for surgeries.
- **7. Deep Breathing:** Taking time to focus on breathing stimulates endorphin production. Try taking 3 minutes every hour and focus on doing deep breathing with a 5-10 second inhalation and a 5-10 second exhalation.
- **8. Regular Exercise:** Regular movement is good for all neurotransmitters but especially for endorphin release. High intensity exercise, such as heavy weight training with short rest periods, circuit training, sprinting or interval training all stimulate abundant amounts of endorphins,
- **9. Practice Yoga:** Individuals with an endorphin deficiency will often not be able to adapt and recover from high intensity exercise. Fortunately, they can still move positions and apply deep breathing with a regular yoga practice.
- 10. **Laugh and Play:** The average child laughs 300 times per day while adults laugh a paltry five times. Be like a child and find ways to laugh and add more play into your life. Both of these release endorphins and improve your body's ability to make endorphins.



#### **Supplements to Raise Endorphin Levels:**

**DL Phenylalanine:** This amino acid acts to block enzymes that break down endorphins which allows them to stay in the circulation longer. This compound has been used to increase alertness, reduce addictive behaviors and suppress appetites. I recommend 1-2 grams, 1-2 times daily away from meals.

Phenylalanine should not be used by anyone with phenylketonuria, malignant melanoma, extremely high blood pressure, hyperthyroidism and chronic migraines.

When taking high doses of DL Phenylalanine it is important to provide a balance of amino acids to support GABA, dopamine and serotonin production.

#### **Dr Jockers Recommendations:**

Most people with low endorphins are also low in all the other neurotransmitters. We focus on applying a healthy diet, stress management techniques and any necessary protocols for supporting other low neurotransmitters.

The major supplement I use for this is:



## **Dopamine Plus:**

This formula contains clinical dosages of L-tyrosine, DL Phenylalanine, vitamin C and B6 and it contains 5-HTP which helps keep the dopamine:serotonin balance in order.

**Normal Dosage:** Take 2 caps -2x daily away from meals **Advanced Dosage:** Take 4 caps -2x daily away from meals

\*\*You can take the dopamine plus with other supplements we have discussed with various neurotransmitter deficiencies.



#### Additional Supplements to Use to Help Improve Endorphins:



## **Adapt-Strong:**

This formula provides clinical dosages of vitamin B6, rhodiola and cordyceps. This formula provides useful support for both hyper and hypofunction of the adrenals. Hyperfunction is when the adrenals are overproducing hormones, such as cortisol, and hypofunction is the opposite, when the adrenals are under producing.

**Normal Dosage:** Take 1 cap - 2x daily

**Advanced Dosage:** Take 2 caps - 2x daily



## **Brain Calm Magnesium:**

This is a specific form of magnesium is the only form of magnesium proven in animal studies to cross the blood-brain barrier. Boosting the brain's magnesium level is vital to healthy cognition, which includes long- and short-term memory, learning, stress management and sleep.

**Normal Dosage:** 1 scoop - 1x daily **Advanced Dosage:** 2 scoop - 2-3x daily

### About Dr. David Jockers DNM, DC, MS

**Dr. David Jockers** is a doctor of natural medicine, a functional nutritionist and corrective care chiropractor. He currently owns and operates Exodus Health Center Kennesaw, Georgia and runs one of the hottest natural health websites in DrJockers.com with over 1 million monthly visitors and his work has been seen on popular media such as the Dr Oz show.

Dr Jockers is a world-renowned expert in the area of ketosis, fasting and the ketogenic diet. He is the developer of the the bestselling "Navigating the Ketogenic Diet" E-course and the host of the **Popular Keto Edge Summit.** 



Dr Jockers is also a sought-after speaker around the country on such topics as ketosis, weight loss, brain health, healing leaky gut, thyroid function, natural detoxification and disease prevention.

